

APPLICATIONS

The SRDISE LED is a specification grade, Volumetric Surface LED Luminaire which provides smooth and uniform ambient lighting for all commercial and industrial buildings. Reflected light from matte surfaces provide a softened appearance to the modern office environment.

FEATURES & BENEFITS

- ◆ Volumetric recessed luminaire provides a low glare light source
- ◆ Matte white reflective surface for soft, uniform light distribution
- ◆ 0-10V dimming driver standard
- ◆ Easy access plate for quick wiring



SPECIFICATIONS

Housing is die-formed and embossed code 22 gauge steel. Luminaire body finish is high reflectance baked white enamel, with matte white reflectors. Wiring knockouts are provided on the back of housing. Center diffuser snaps into place; no tools are required for removal.

ORDERING DATA

EXAMPLE: SRDISE24-LED48DMV40

SRDISE		LED				FR			
Series	Size	Gear	Wattage / Lumens		Lens	Driver	Color Temp		
SRDISE	14 1x4 22 2x2 24 2x4	LED	1x4 Standard		FR Frosted Lens	DMV 120-277VAC 0-10V Dimmable SDMV 120-277V 50% Step Dimming	30 3000K 35 3500K 40 4000K 50 5000K		
			15 15 Watts 1940 Lumens 22 22 Watts 3145 Lumens 30 30 Watts 4015 Lumens 35 35 Watts 4580 Lumens 40 40 Watts 5140 Lumens 48 48 Watts 6025 Lumens 57 57 Watts 7020 Lumens						
			2x2 Standard						
			18 18 Watts 2115 Lumens 20 20 Watts 2535 Lumens 24 24 Watts 3015 Lumens 30 30 Watts 3605 Lumens						
			2x4 Standard						
			15 15 Watts 1955 Lumens 22 22 Watts 3145 Lumens 30 30 Watts 4095 Lumens 32 32 Watts 4305 Lumens 35 35 Watts 4535 Lumens 40 40 Watts 5245 Lumens 48 48 Watts 6155 Lumens 57 57 Watts 7210 Lumens						

Options	
EM	Emergency Battery Pack 10W ~1300 Lumens
EM4F	Emergency Battery Pack 4W ~450 Lumens
EM5	Emergency Battery Pack 5W ~650 Lumens
EM7	Emergency Battery Pack 7W ~900 Lumens
SNS200	Occupancy Sensor w/ Daylight Harvesting

* Emergency Drivers may be remote mounted on 2x2 fixtures

Lumens are subject to a tolerance of ±10%
Wattage is approximate and subject to a tolerance of ±5%

Dimensions and specifications subject to change without notice.

