



JOB NAME:

CAT#:

TYPE:

APPLICATIONS

This UFO style high bay fixture is perfect for institutional, retail, and commercial applications including: gymnasiums, factories, and warehouses.

FEATURES & BENEFITS

- Operating temperature -40°C to 55°C (-40°F to 131°F)
- Replaces 250W to 400W MH
- Hook or conduit pendant mountable
- Hook mount comes standard
- ^cUL_{us} listed for wet locations
- 5 year warranty





With Sensor



Without Sensor

DIMENSIONS



Weight:
100W: 8.3lb
180W: 9.5lb

Dimensions and specifications subject to change without notice.



JOB NAME:

CAT#:

TYPE:

DIMENSIONS



ORDERING

EXAMPLE: HBU LED 100 DMV WH 30 OS

HBU	LED	WH					
1. SERIES	2. GEAR	3. WATTAGE/LUMENS	4. DRIVER	5. FINISH	6. COLOR TEMP	7. SENSOR (O) ¹	
HBU	LED	DMV	DMV 120-277V Multivolt 0-10V Dimmable	WH White	40 4000K 50 5000K	OS Occupancy Sensor	
		DHV	DHV 347-480VAC 0-10V Dimmable				
		100 100 Watts 14000 Lumens 180 180 Watts 25000 Lumens					
		DHV					
		90 90 Watts 13000 Lumens 140 140 Watts 20500 Lumens					
		*Lumens at 4000K					

Notes:

¹(O) is optional

Dimensions and specifications subject to change without notice.






JOB NAME:

CAT#:

TYPE:

PHOTOMETRICS



Dimensions and specifications subject to change without notice.

